

Work Order ID 142902

Monday, March 21, 2016 11:50:16 AM

142902

Page 1

Item ID: D4149-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Crosstube Lug Plate, Aft
 Start Date: 4/21/2016 Start Qty: 20.00 ***20*** Cust Item ID:
 Required Date: 4/27/2016 Req'd Qty: 20.00 ***20*** Customer:
 Reference:

Approvals: Process Plan: W Date: Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4149	C								

105 0.00
105 20 MAR 21 2016 DAS 13
 Purchasing Memo 0.00 9-89
 Purchasing ISSUE PO 31764
 CUT PER DRWG D4149 REV.C

115 Receive & Inspect for Damage & Mat'l Certs 0.00
115 20X SP/16-01-01
 Packaging Memo 0.00
 Packaging

125 QC5- Inspect part completeness to step on W/O 0.00
125 (20) DAS 38
 QC Memo 0.00 0.00
 Quality Control

APR 05 2016
P.T.O.

127 water jet - open holes per drawing

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DQA: *Aut*Date: *16.05.10*QA Closed *RAA*Date: *16/05/02*

WORK ORDER NON-CONFORMANCE / UPDATE

Work Order update only ☐

Work Order: <i>142902</i> Part No. <i>DM149-1</i> NCR No. <i>15-5694</i>	DISPOSITION Rework ☒ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Cross tube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☒</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☒																																																																								
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																																									
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																																									
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																																									
Large Fab ☐	Composite ☐	Supplier ☒																																																																																										
Date: <i>16-04-04</i>	Step #: <i>105</i>	QTY Effective: <i>20</i>		MRB (QSI042) Approval DAS 9 9-89 <i>16-04-04</i>																																																																																								
Description Work Order Deviation <i>Part was outsource to T.P.I. on P0317764. At inspection some holes where found under size. Ref. to NCR 16-5694</i>		Disposition <i>. Re work (drill) holes to drawing. . Fill out F.A.I. sheet</i>		Completed By <i>24</i> <i>16/04/11</i> Lead hand / Supervisor Approval Verification <i>DAS</i> <i>38</i> <i>9-89</i> APR 12 2016																																																																																								
Root Cause <table style="width:100%;"> <tr><td>Environment</td><td>☐</td><td>No Re-verification</td><td>☐</td></tr> <tr><td>Design</td><td>☐</td><td>Operator</td><td>☐</td></tr> <tr><td>Doc/Data</td><td>☐</td><td>Offset/Setup</td><td>☐</td></tr> <tr><td>Equip/Tooling</td><td>☐</td><td>Supplier</td><td>☒</td></tr> <tr><td>Handling/Pre</td><td>☐</td><td>Training</td><td>☐</td></tr> <tr><td>Material</td><td>☐</td><td>Use for Testing</td><td>☐</td></tr> <tr><td>Internal Transport</td><td>☐</td><td>Poor Information</td><td>☐</td></tr> <tr><td>Tribal Knowledge</td><td>☐</td><td>Rushing</td><td>☐</td></tr> <tr><td>LOA</td><td>☐</td><td>Product Improvement</td><td>☐</td></tr> <tr><td>Substation</td><td>☐</td><td>Process Improvement</td><td>☐</td></tr> <tr><td>Past Expiry Date</td><td>☐</td><td>Manufacturing Process</td><td>☐</td></tr> <tr><td>Misidentified</td><td>☐</td><td>Past Due</td><td>☐</td></tr> </table>		Environment	☐	No Re-verification	☐	Design	☐	Operator	☐	Doc/Data	☐	Offset/Setup	☐	Equip/Tooling	☐	Supplier	☒	Handling/Pre	☐	Training	☐	Material	☐	Use for Testing	☐	Internal Transport	☐	Poor Information	☐	Tribal Knowledge	☐	Rushing	☐	LOA	☐	Product Improvement	☐	Substation	☐	Process Improvement	☐	Past Expiry Date	☐	Manufacturing Process	☐	Misidentified	☐	Past Due	☐	FAULT CATEGORY <table style="width:100%;"> <tr> <td>Pressure/Forced ☐</td> <td>Temperature/Cure ☐</td> <td>Power Loss/Surge ☐</td> <td>Positioned Wrong ☐</td> </tr> <tr> <td>Bending ☐</td> <td>Set-up ☐</td> <td>Folio/Program ☐</td> <td>☒ Outside Dimensions</td> </tr> <tr> <td>Centre Not Concentric ☐</td> <td>BOM/Route ☐</td> <td>Grain ☐</td> <td>Over/Under tolerance ☐</td> </tr> <tr> <td>Cracks ☐</td> <td>Broken/Damage/Defect ☐</td> <td>Weld ☐</td> <td>Part Incorrect ☐</td> </tr> <tr> <td>Crimp/Kink/Ripple/Wave ☐</td> <td>Inspection Incomplete/Unqualified ☐</td> <td>Wrong Stock Pulled ☐</td> <td>Part Lost/Missing ☐</td> </tr> <tr> <td>Cuffs ☐</td> <td>Contamination ☐</td> <td>Out of Sequence ☐</td> <td>Part Moved ☐</td> </tr> <tr> <td>Crushing ☐</td> <td>Countersink ☐</td> <td>Off-set ☐</td> <td>Drawing ☐</td> </tr> <tr> <td>Heat Treat ☐</td> <td>Cut Too Short ☐</td> <td>Mislabeled ☐</td> <td>Finish ☐</td> </tr> <tr> <td>Wave/Twist in Tube ☐</td> <td>Instructions Incomplete/Unclear ☐</td> <td>Fit/Function ☐</td> <td>Misread ☐</td> </tr> <tr> <td>Marks/Chatter ☐</td> <td>Drill Holes ☐</td> <td>Misaligned/off center ☐</td> <td>Turning Sequence ☐</td> </tr> </table>			Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Bending ☐	Set-up ☐	Folio/Program ☐	☒ Outside Dimensions	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment	☐	No Re-verification	☐																																																																																									
Design	☐	Operator	☐																																																																																									
Doc/Data	☐	Offset/Setup	☐																																																																																									
Equip/Tooling	☐	Supplier	☒																																																																																									
Handling/Pre	☐	Training	☐																																																																																									
Material	☐	Use for Testing	☐																																																																																									
Internal Transport	☐	Poor Information	☐																																																																																									
Tribal Knowledge	☐	Rushing	☐																																																																																									
LOA	☐	Product Improvement	☐																																																																																									
Substation	☐	Process Improvement	☐																																																																																									
Past Expiry Date	☐	Manufacturing Process	☐																																																																																									
Misidentified	☐	Past Due	☐																																																																																									
Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																																									
Bending ☐	Set-up ☐	Folio/Program ☐	☒ Outside Dimensions																																																																																									
Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																																									
Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																																									
Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																																									
Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																																									
Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																																									
Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																																									
Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																																									
Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																																									
OTHER: ☐																																																																																												

Work Order ID 142902

Monday, March 21, 2016 11:50:16 AM

142902

Page 2

Item ID: D4149-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Crosstube Lug Plate, Aft

Start Date: 4/21/2016 Start Qty: 20.00

20

Cust Item ID:

Required Date: 4/27/2016 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Identify as per dwg & Stock Location: <u>St086</u>	0.00							
150									
Packaging	Memo	0.00							
Packaging									
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.03							
Quality Control									

20 MCS 16-04-12MCS APR 12 2016MCS APR 12 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER :			
Misidentified ☐	☐	Past Due	☐				

Picklist Print

Monday, March 21, 2016 11:50:15 AM

Page 1 /

Work Order ID: 142902

142902

Parent Item: D4149-1

D4149-1

Parent Item Name: Crosstube Lug Plate, Aft

Start Date: 4/21/2016

Required Date: 4/27/2016

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP Rev:A 10.06.24 new issue DD verf:EC
IPP Rev:B 11.03.03 as per revC DD verf:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4149-1P		Purchased	No				Each	0.0000		20			
D4149-1P									**				
Crosstube Lug Plate, Aft													
M304S11GA		Purchased	No			100	sf	121.7250	0.1355	2.852632			
M304S11GA									**				
304/316 0.125 Sheet													

20 x Sp/16-04-01
DAS 13
900
APR 01 2016

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
MAT020	121.72498	
M129545	24.82498	
M129972	21.7	
M134284	75.2	

M134604

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coor. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									


DART AEROSPACE LTD		Work Order:	142902
Description: Aft Crosstube Lug Plate		Part Number:	D4149-1
Inspection Dwg: D4149	Rev: C	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.129	+0.005/-0.001					Ø.121 Drill Hole
Ø0.191	+0.005/-0.001					Ø.182 " "
Ø0.257	+0.006/-0.001					Ø.240 " "
Ø0.38	+0.006/-0.001					Ø.360 " "
0.380	+/-0.010	0.380	/		QCI-07	
0.469	+/-0.010	0.469	/			
0.310	+/-0.010	0.310	/			
0.750	+/-0.010	0.750	/			
3.25	+/-0.030	3.25	/			
0.65	+/-0.030	0.65	/			
0.63	+/-0.030	0.63	/			
5.46	+/-0.030	5.46	/			
3.80	+/-0.030	3.80	/			
2.13	+/-0.030	2.13	/			
1.313	+/-0.010	1.313	/			
0.625	+/-0.010	0.625	/			
0.375	+/-0.010	0.375	/			
1.175	+/-0.010	1.175	/			
0.752	+/-0.010	0.752	/			
1.588	+/-0.010	1.588	/			
1.587	+/-0.010	1.587	/			
11.15	+/-0.030	11.15	/		Tape	
0.750	+/-0.010	0.750	/		QCI-07	
1.55	+/-0.030	1.55	/		QCI-07	
1.12	+/-0.030	1.12	/		QCI-07	
8.42	+/-0.030	8.42	/		Tape	
2.70	+/-0.030	2.70	/		QCI-07	
0.125	+/-0.010	0.125	/		QCI-07	
Ø0.252	+0.003/-0.000				QCI-07	Ø.240 Drill Hole

Measured by:	DAS 38 9-89	Audited by:	DAS 9 9-89	Preliminary Approval:	
Date:	APR 05 2016	Date:	16-04-12	Date:	

Rev	Date	Change	Revised by	Approved
A	10.08.04	New Issue	KJ	
B	12.02.01	Dimensions updated per Dwg Rev C	KJ	



D4149-041 AFT X-TUBE LUG ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4149-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 2.21 lbs

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4149-041	AFT X-TUBE LUG ASSY
1	1	D3910-1	X-TUBE LUG
2	1	D4091-1	MOUNTING LUG
3	2	D4149-1	AFT X-TUBE LUG PLATE
4	1	D4149-3	SPACER
5	1	D4149-5	EYEBOLT STUD
6	2	AN3C12A	BOLT
7	3	AN4C13A	BOLT
8	3	MS20615-4M18	RIVET
9	2	MS21043C3	NUT
10	3	MS21043C4	NUT
11	4	NAS1149C0332R	WASHER
12	6	NAS1149C0432R	WASHER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 142902 M.C.S.
16-03-16

RELEASED
2011-02-26
JMP

C	HOLE DIA CHANGED TO 0.252" (D8-3); HOLE DIA CHANGED TO 0.250" (C8-5); REPLACED QTY(2) AN3C12A, MS21043C3 AND QTY(4) NAS1149C0332R WITH QTY(2) AN4C13A, MS21043C4 AND QTY(4) NAS1149C0432R (D3-1,D7-2)	SC	11.02.22
B	MS20615-4M18 WAS MS20615-4M20 (ZN D3-1 & B7-2); ADDED D4149-5 (SHT 5); D4149-5 WAS D3909-5 (ZN D3-1 & D7-2); REPLACED QTY(3) MS20615-4M18 WITH QTY(2) EACH AN3C12A, MS21043-3 AND QTY(4) NAS1149C0332R WASHER (ZN D3-1, C7-1, B7-2 & B3-2); Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN D8-3); REASON: SEE TR-D350-807-2 REV. B.	MB	10.07.05
A	NEW ISSUE	MB	10.06.18
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	DART AEROSPACE LTD	
DRAWN	SC	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4149	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		AFT X-TUBE LUG ASSY	NTS
DATE	11.02.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD	

8 7 6 5 4 3 2 1

D

C

B



A

D

C

B

A







D4149-041 AFT X-TUBE LUG ASSY

RELEASED
2011-02-24

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	SC	HAWKESBURY, ONTARIO, CANADA	
CHECKED	h	DRAWING NO.	REV. C
MFG. APPR.		D4149	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		AFT X-TUBE LUG ASSY	NTS
DATE	11.02.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1






D4149-3 SPACER

RELEASED
2011-02-22

NOTES:

- 1) MATERIAL: 303/304/316 STAINLESS STEEL BAR PER ASTM A276 OR A582
REF DART SPEC MS304B OR MS303B
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.47 lbs

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SC		
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4149	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		AFT X-TUBE LUG ASSY	NTS
DATE	11.02.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4149-5 EYEBOLT STUD

RELEASED
2011-02-26

NOTES:

- 1) MATERIAL: 303/304/316 STAINLESS STEEL BAR PER ASTM A276 OR A582
REF DART SPEC MS304B OR MS303B
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4149-5" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.32 lbs

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	SC	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4149	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		AFT X-TUBE LUG ASSY	NTS
DATE	11.02.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. INFO IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31764

Purchase Order Date 3/21/2016

PO Print Date 3/21/2016

Page Number 9 of 11

Order From : VC-TP1001

TPI INDUSTRIES INC.
148 RUE GOODFELLOW
DELSON, QUEBEC J5B 1V4
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 450-633-0484

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

21 D4149-1P ✓ Crosstube Lug Plate, Aft 4/6/2016
Yes
4/6/2016

FN

20.00 ✓
Each

\$14.75

\$295.00

CUT AS PER DWG D4149 REV. C
B142902
MATERIAL 304 SHEET 11 GA

SP16-04-01

Line Total:

\$295.00

22 D4150-3P ✓ Arm Plate 4/6/2016
Yes
4/6/2016

FN

8.00 ✓
Each

\$5.00

\$40.00

CUT AS PER DWG D4150 REV. B
B142779
MATERIAL 304 SHEET 11 GA

Line Total:

\$40.00

23 D4151-1P ✓ Lower Hardpoint Plate 4/6/2016
Yes
4/6/2016

FN

40.00 ✓
Each

\$5.95

\$238.00

CUT AS PER DWG D4151 REV. C
B141717
MATERIAL 304 SHEET 11 GA

SP16-04-01

Note:

3/21/2016

T.P.I. INDUSTRIES INC.

148 GOODFELLOW
DELSON, QUÉBEC J5B 1V4
CANADA
Tel: (450) 633-0484
Fax: (450) 633-0879

Packing Slip

Packing Slip No.: 7436
Date: 2016-03-29
Page: 1

Sold to:

Dart Aerospace

Chantal Lavoie
1270 Aberdeen
Hawkesbury, Ontario K6A 1K7
Canada

Ship to:

Dart Aerospace
Chantal Lavoie
1270 Aberdeen
Hawkesbury, Ontario K6A 1K7
Canada

Order No.: 31764

Sold By: JONATHAN LESSARD

Shipped By:

Ship Date: 2016-03-30

Tracking No.:

Item No	Unit	Description	Quantity
D2281 ✓		jack saddle ✓	80 ✓
D2585 ✓		latch clamp ✓	65 ✓
D3637-041 ✓		bracket assy ✓	12 ✓
D4060-1 ✓		ski clamp ✓	132 ✓
D4176-1 ✓		429 clamp ✓	8 ✓
d2232-3 ✓	Chaque	d2232-3 basket hinge ✓	15 ✓
d2581 ✓		mounting bracket ✓	68 ✓
D3191-1 ✓	98-1	fitting ✓	10 ✓
D3405-041 ✓		ground handling lug ✓	32 ✓
D3405-043 ✓	Chaque	ground handling lug ✓	6 ✓
d3561-1 ✓	Chaque	d3561-1 seal insert tool ✓	6 ✓
d3912-5 ✓	Chaque	d3912-5 eyebolt plate ✓	30 ✓
d4021-1 ✓	Chaque	d4021-1 handle plate ✓	14 ✓
d4148-1 ✓	Chaque	d4148-1 crosstube lug plate fwd ✓	44 ✓
d4149-1 ✓	Chaque	d4149-1 crosstube lug plate aft ✓	20 ✓
d4150-3 ✓	Chaque	d4150-3 arm plate ✓	8 ✓
d4151-1 ✓	Chaque	d4151-1 lower hardpoint plate ✓	40 ✓
d4151-3 ✓	Chaque	d4151-3 upper hardpoint plate ✓	42 ✓

Comment: Net / 30 from date of invoice 2% svc. chg. on invoices over 30 days

Sp/b ai-01

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
1200 Nom X 48.0000" X 96.0000"
PART NO.

PO/Rel 31741

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-983229-002

21Mar16

Pg 1/1



METALLURGICAL TEST REPORT

North American Stainless Canada Inc.
740 Imperial Road North
Guelph, ON N1K1Z3
Canada

740 Imperial Road North

Certificate: 117938 1

Mail To:

THYSSENKRUPP MATERIALS
2821 LANGSTAFF ROAD
CONCORD, ON L4K5C6

Ship To:

THYSSENKRUPP MATERIALS
2821 LANGSTAFF ROAD
CONCORD, ON L4K5C6

Date: 11/26/2015 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/14;180Bend-OK

Your Order: PEC271093

NAS Order: WN 0072789 07

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30403
ASTM A240/15a,A480/14b,A666/15;ASME SA240/13,SA480/13,SA666/13
CHEM ONLY ON FOLLOWING ASTM: A276/13,A479/13a,A484/13a,A312/13
CHEM ONLY ON FOLLOWING ASME: SA312/13,SA479/13
AMS 5511H/5513J XMRK; MIL-5059D AMD3(X CRN MEAS); MIL-4043B
NACE MR0175/ISO 15156-3:2009 A, MR0103/07;QGS766D-A X MAG PERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; RoHS 1 & 2 Compliant
Material is Free of Radioactive Contamination
Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg.by a Quality Mgt.Sys. in Conf. w/ISO 9001
*Melted & Manufactured in the USA; Mat'l is DFARS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02X2A3 DA	02X2A3 D		.1163	48.0000	4,970	SHEETS	096.00	32	

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/08

HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
X2A3	US	.0270	18.2380	.3950	1.7650	.3735	.0830	8.0045	.0340	.0010
SI %										
.2375										

MECHANICAL PROPERTIES

Product Id#	Coil #	UTS	20C	.2% YS	20C	ELONG	%	Hard	Tail
		KSI		KSI		%-2"		RB	Hard
02X2A3 DA	02X2A3 D	F T	92.66	44.92	51.32	86.00	87.00		

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy
of the test methods used, the material meets the specifications stated. These results relate only to the items
tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.

AB Bhav

ABHISEET BHAVE

11/26/2015

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
.0750 Nom X 48.0000" X 120.0000"
PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Pg 1/1

Signed by:



No. 600, Xinglong St., Jiaxing Vill., Ganzshan Dist.,
Kaohsiung City 82057, Taiwan (R.O.C)

Specification/Steel Grade : DIN EN 10028-7 1.4301/1.4307_C
Surface Finish : No. 2B

1. We hereby certify that material described herein has been manufactured and tested with satisfactory results in accordance with the requirement of the above material specification.
2. The material described above has been detected with free irradiation.
3. NUCON has established a QMS according to ISO 9001 which is certified by DNY CERT (reg.-no. 0058-2002-AQ-PGC-KTY).
4. Inspection and gauge measurement: Satisfactory
5. The report can only be reproduced in full.
6. This certificate complies to 3.1/DIN EN 10204:2005.
7. The tests including "Tensile Test", "Intergrenular Attack" (I.I. TEST) have been accredited by 42LA TESTING CERT #0958.02).

F. A. Huang

Doc No. 220730 Indexed 4Nov15 by slssup1